

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	35	380/277-280,283,285-286,44,45.ccls. and ((key adj (set pair ring pool table storage tree)) with (random\$3 near2 (select\$3 choos\$3 chosen pick\$3 obtain\$3 distribut\$3 provid\$3 transmit\$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:44
L6	3	380/277-280,283,285-286,44,45.ccls. and ((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) same ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) with (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:49
L7	8	380/277-280,283,285-286,44,45.ccls. and ((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:51
L8	86	380/277-280,283,285-286,44,45,255,270,269.ccls. and ((stor\$3 with (key near (ring private session common shared pair))) with ((each plural\$3 multiple various different) near3 (node user clients member computer units device subscriber)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:53
L9	13	380/277-280,283,285-286,44,45.ccls. and ((key near1 (ring pair)) with random\$3 with (select\$3 establish\$5 obtain\$4 determin\$4 comput\$3 shar\$3 arrang\$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:54
L10	79	380/277-280,283,285-286,44,45,255,270,269.ccls. and ((search\$3 find\$3 discover\$3 look\$3 seek\$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:55

L11	214	380/277-280,283,285-286,44,45,255,270,269.ccls. and (((distribut\$4 shar\$3 allocat\$3) near2 key) with ((plural\$3 multiple various different) near2 (node user clients member computer units device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:55
L12	3	l11 and (establish\$4 with (secure near (communication link channel)) with (shar\$3 common session) near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:56
L13	46	713/163,168,169.ccls. and ((search\$3 find\$3 discover\$3 look\$3 seek\$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:56
L14	41	((search\$3 find\$3 discover\$3 look\$3 seek\$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:00
L15	1	((search\$3 find\$3 discover\$3 look\$3 seek\$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair))) and ((establish\$4 with (secure near (communication link channel)) with ((shar\$3 common session) near key))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:01
L16	9	((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:05
L17	2	((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) same ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:05

L18	3	((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and (key near (ring private session common shared pair)) same ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:07
L19	3	((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and (key near (ring private session common shared pair pool)) same ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar\$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:07
L20	1	((LAURENT) near2 (ESCHENAUER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/14 15:08
L21	16	((VIRGIL) near2 (GLIGOR)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/14 15:08
L22	1	l21 and ((search\$3 find\$3 discover\$3 look\$3 seek\$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair pool)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:09
L33	2	"455"/\$.ccls. and ((key adj (set pair ring pool table storage tree)) with (random\$3 near2 (select\$3 choos\$3 chosen pick\$3 obtain\$3 distribut\$3 provid\$3 transmit\$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:11
L34	1	"455"/410,411.ccls. and ((key adj (set pair ring pool table storage tree)) with (random\$3 near2 (select\$3 choos\$3 chosen pick\$3 obtain\$3 distribut\$3 provid\$3 transmit\$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:12
L35	4	"370"/\$.ccls. and ((key adj (set pair ring pool table storage tree)) with (random\$3 near2 (select\$3 choos\$3 chosen pick\$3 obtain\$3 distribut\$3 provid\$3 transmit\$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:12

L36	1	"370"/\$.ccls. and ((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar \$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:13
L37	1	"709"/\$.ccls. and ((broadcast\$3 broad\$cast\$3 transmit\$3 send\$3) with (key near (identifier "ID" identity tag indicator))) and ((search\$3 discover\$3 find\$3 match\$3) with (pair common shar \$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:13

11/14/2008 4:14:00 PM**C:\Documents and Settings\npatel5\My Documents\EAST\Workspaces\FY_07\Workspace_626.wsp**